Notice of Allowability	Application No.	Applicant(s)
	09/836,636	VENKATRAMAN ET AL.
	Examiner	Art Unit
	David Lukton	1653
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. This communication is responsive to <u>12/19/03</u> .		
2. \boxtimes The allowed claim(s) is/are <u>1-22 and 26-39</u> .		
3. The drawings filed on are accepted by the Examiner	;	
 4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftsperson (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date [b] ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.1 each sheet. Replacement sheet(s) should be labeled as such in the carbon of the depose attached Examiner's comment regarding REQUIREMENT Foreign (see 2018). 	been received. been received in Application No. puments have been received in this suments have been received in this of this communication to file a reply ENT of this application. Itted. Note the attached EXAMINER is reason(s) why the oath or declar is be submitted. It be submitted. It is parent Drawing Review (PTC Amendment / Comment or in the B4(c)) should be written on the draw is header according to 37 CFR 1.121 int of BIOLOGICAL MATERIAL	s national stage application from the y complying with the requirements R'S AMENDMENT or NOTICE OF ration is deficient. 9-948) attached Office action of ings in the front (not the back) of (d). must be submitted. Note the
Attachment(s) 1.	6. ☑ Interview Summary Paper No./Mail Da 3), 7. ☑ Examiner's Amend 8. ☐ Examiner's Statem	ate <u>20040301</u> .

In accordance with the response filed 12/19/03, no claim has been added, amended, or cancelled. Claims 1-22, 24-39 remain pending. Applicants' arguments filed 12/19/03 have been considered and found persuasive. Claims 1-22, 26-39 are now allowable.

 \diamondsuit

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. \$1.312. To ensure consideration of such an amendment, it <u>MUST</u> be submitted no later than the payment of the Issue Fee.

Cancel claims 24-25.

Authorization for this Examiner's Amendment was given in a telephone conversation with Palaiyur Kalyanaraman on 3/2/04.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Lukton whose telephone number is 703-308-3213. The examiner can normally be reached Monday-Friday from 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low, can be reached at (703) 308-2923. The fax number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0196.

Di Ru Lyon 3/3/04

CHRISTOPHER S. F. LOW SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1800